


HOEFLON

C4

FUNCTIONAL
BASIC CRANE






HOEFLON[®]



HOEFLON C4

The defining aspect of the C4 compact crane is the low net weight of the machine. This allows it to be easily transported on a trailer suitable for vehicles with lower towing capacity, so this machine can be used anywhere. The options available for this mini-crane make it simple to turn the C4 into a fully featured lifting crane.

The options available for this mini-crane make it simple to expand the C4 to serve as a deluxe lifting crane.




Standard configuration

Capacity	2,350 kg
Boom outreach	7.3 m, and 11.75 m with options
Hoisting height max. without jib	9.7 m, and 14.6 m with options
Transport dimensions LxWxH	2.95 x 0.75 x 1.75 m
Total weight	1,900 kg, and 2,150 kg with options
Boom angle	-5° to 83°
Boom system	cylinder and chain system
Slewing angle	360°
Driving speed	1st gear: 1.2 km/h, 2nd gear: 2.4 km/h,
Engine	Honda petrol engine
Inclination angle, driving	20°
Outrigger pressure	2,450 kg per outrigger
Ground pressure, tracks	0.52 kg/cm²
Ballast weight	115 kg
Noise	75 dB

Accessories/Options

Dimensions including winch and jib	3.05 x 0.75 x 1.95 m
Fly jib 1	4.3 m
Winch 2	1,000 kg, 2,000 kg and 2,350 kg
Extension section 3	30° adjustable
Winch cable	40 m
Outriggers 4	bend
Outriggers	hydraulically extending stepless
Slewing	unlimited
Crawler 5	non-marking
Lighting	work light on boom and jib
Storage box 6	extra storage box
Speed controller	900 to 1700 rpm





C4 IN A NUTSHELL

- Manoeuvrable with extreme precision
- Remote control for outrigger, driving and crane functions
- Hydraulically adjustable tracks
- Tie-down hooks for trailer
- One lifting point

With fly-jib

No rights can be derived from the information stated here.



WHY HOEFLON?

Hoeftlon transport solutions are extremely versatile, making them perfect for moving heavy materials in close quarters or difficult-to-reach areas at project sites. We are happy to offer advice concerning the best solution for your situation. Ask us about the possibilities!

Your Hoeftlon® dealer ►

HOEFLON®

Made in Holland

Hoeftlon International B.V.

address Zwolleweg 2 3771 NR Barneveld, The Netherlands

tel. +31 (0)342 400288 email info@hoeftlon.com

HOEFLON.COM